

# Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 1.1

Product: **Uvinul® T 150**

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

## 1. Identification

### Product identifier

### **Uvinul® T 150**

Chemical name: tris(2-ethylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate

CAS Number: 88122-99-0

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: cosmetic ingredient

### Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Care Chemicals

Telephone: +49 211 7940-2222

E-mail address: emc-ehs-masterdata@basf.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Aquatic Chronic 4

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 1.1

Product: **Uvinul® T 150**

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

---

For the classifications not written out in full in this section the full text can be found in section 16.

## Label elements

### Globally Harmonized System (GHS)

#### Hazard Statement:

H413 May cause long lasting harmful effects to aquatic life.

#### Precautionary Statements (Prevention):

P273 Avoid release to the environment.

#### Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

## Other hazards

### According to UN GHS criteria

Fine dust can form an inflammable mixture together with air.

---

## 3. Composition/Information on Ingredients

### Substances

#### Chemical nature

INCI Name: Ethylhexyl Triazone

2,4,6-trianilino-p-(carbo-2-ethylhexyl-1-oxi)-1,3,5-triazine

CAS Number: 88122-99-0

EC-Number: 402-070-1

INDEX-Number: 607-414-00-6

For the classifications not written out in full in this section the full text can be found in section 16.

### Mixtures

Not applicable

---

## 4. First-Aid Measures

### Description of first aid measures

If adverse health effects develop seek medical attention.

If inhaled:

Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

### **Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### **Special hazards arising from the substance or mixture**

harmful vapours, nitrogen oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental Release Measures**

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Avoid dust formation.

Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

**Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

**Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

**Precautions for safe handling**

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

**Conditions for safe storage, including any incompatibilities**

Suitable materials for containers: Aluminium, Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stove-lacquer O 360, glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: 15 - 25 °C

**Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## 8. Exposure Controls/Personal Protection

**Control parameters**Components with occupational exposure limits

| No substance specific occupational exposure limits known.

**Exposure controls**Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 1.1

Product: **Uvinul® T 150**

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	powder	
Colour:	white to light yellow	
Odour:	faint specific odour	
Odour threshold:	not determined	
pH value:	not applicable	
Melting point:	approx. 129 °C	
Boiling point:	not applicable	
	The substance / product decomposes therefore not determined.	
Flash point:	307 °C	(ISO 2592)
Evaporation rate:		
	The product is a non-volatile solid.	
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosols	
Lower explosion limit:		
	For solids not relevant for classification and labelling.	
Upper explosion limit:		
	For solids not relevant for classification and labelling.	
Ignition temperature:	420 °C	
	> 140 °C	(VDI 2263, sheet 1, 2.6)

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.12.2022

Version: 1.1

Product: **Uvinul® T 150**

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

Vapour pressure:	< 0,0000006 hPa (20 °C)	(Directive 92/69/EEC, A.4)
Relative vapour density (air):	The product is a non-volatile solid.	
Solubility in water:	< 0,001 mg/l (20,0 °C)	(OECD Guideline 105)
Partitioning coefficient n-octanol/water (log Kow):	> 7 (20 °C)	(Directive 84/449/EEC, A.8)
Self ignition:	Temperature: > 400 °C No self ignition was observed up to the specified temperature.	(Method: Directive 92/69/EEC, A.16)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not applicable, the product is a solid	
Viscosity, kinematic:	not applicable, the product is a solid	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 92/69/EEC, A.17)

**Other information**

Self heating ability:	It is not a substance capable of spontaneous heating.	
Bulk density:	approx. 500 - 550 kg/m <sup>3</sup> (20 °C)	
Grain size distribution	1,51 µm	(D50, Counted Distribution, other (measured))
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section., No further information available.	

**10. Stability and Reactivity****Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	Corrosive effects to metal are not anticipated.	
Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

**Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**Possibility of hazardous reactions**

Dust explosion hazard.

**Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame.  
See SDS section 7 - Handling and storage.

## Incompatible materials

Substances to avoid:

None known during use and storage if used according to instructions.

## Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

# 11. Toxicological Information

## Information on toxicological effects

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 401)

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

### Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

### Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

### Carcinogenicity

Assessment of carcinogenicity:

No data was available concerning carcinogenic activity.

Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

The chemical structure does not suggest a specific alert for such an effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated oral exposure in animal studies.

#### Aspiration hazard

No aspiration hazard expected.

---

## 12. Ecological Information

### **Toxicity**

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

No toxic effects occur within the range of solubility.

Toxicity to fish:

LC50 (96 h) > 1.000 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Tested above maximum solubility. The details of the toxic effect relate to the nominal concentration.

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Aquatic invertebrates:

EC50 (48 h) > 500 mg/l, Daphnia magna (Daphnia test acute, static)

Tested above maximum solubility. The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC50 (16 h) > 10.000 mg/l, Pseudomonas putida (DIN 38412 Part 8, static)

The product has low solubility in the test medium. An eluate has been tested. The details of the toxic effect relate to the nominal concentration.

Assessment of terrestrial toxicity:



Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

No toxic effects have been observed in studies with soil living organisms. No toxic effects have been observed in studies with terrestrial plants.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria). Poorly biodegradable. The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Elimination information:

< 10 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic)

Poorly biodegradable.

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

### **Mobility in soil**

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

### **Results of PBT and vPvB assessment**

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

### **Other adverse effects**

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

---

## **13. Disposal Considerations**

### **Waste treatment methods**

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## **14. Transport Information**

### **Land transport**

Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

**ADR**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**RID**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Inland waterway transport****ADN**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

**Transport in inland waterway vessel**

Not evaluated

**Sea transport****IMDG**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Air transport**

Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 15.12.2022  
Product: **Uvinul® T 150**

Version: 1.1

(ID no. 30035119/SDS\_COS\_00/EN)

Date of print 16.12.2022

## IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

---

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

**16. Other Information**

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:  
Aquatic Chronic                      Hazardous to the aquatic environment - chronic

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.