

1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Date of Creation / last update: July 01, 2024

Code: S008823

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name [:] NIKKOL AQUASOME AEC

: NIPPON SURFACTANT INDUSTRIES CO., LTD. Company

Address : 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP

AN

: Technical Division Division Tel. No. : 028-661-6121 Fax No. : 028-663-0426

E-Mail address : info-sds@nikkolgroup.com

Emergency tel. No. : NIKKO CHEMICALS CO., LTD.+81-3-3661-1677

Recommended use and restrictions on use

2. HAZARDS IDENTIFICATION

GHS Classification

Physical and Chemical Hazards : Not classified

Health Hazards

: Not classified Acute Toxicity (Oral) Acute Toxicity (Dermal) : Not classified : Not classified **Acute Toxicity**

(Inhalation: gases)

Acute Toxicity : Classification not possible

(Inhalation : vapors)

Acute Toxicity : Classification not possible

(Inhalation: dust, mists)

: Not classified Skin Corrosion / Irritation : CATEGORY 2B Serious Eye Damage / Eye Irritation

Respiratory Sensitization : Classification not possible Skin Sensitization : Classification not possible Germ Cell Mutagenicity : Classification not possible Carcinogenicity : Classification not possible Reproductive Toxicity : Classification not possible

Specific Target Organ Systemic : Classification not possible

Toxicity (Single Exposure)

Specific Target Organ Systemic : Classification not possible

Toxicity (Repeated Exposure)

Aspiration Hazard : Classification not possible

Environmental Hazards

Short-term (acute) hazardous to : Classification not possible

the aquatic environment

Long-term (chronic) hazardous to : Classification not possible

the aquatic environment

Hazardous to The Ozone Layer : Classification not possible

GHS Label Elements

Pictograms or Symbols



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Signal Word : Warning

Hazard Statements : [H320] Causes eye irritation

Precautionary Statements

[Prevention] : [P264] Wash thoroughly after handling.

[Response] : [P301+P312] IF SWALLOWED: Call a doctor / physician if you

feel unwell.

[P302+P352] IF ON SKIN: Wash with plenty of soap and wate

r.

[P305+P351+P338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy t

o do. Continue rinsing.

[P337+P313] If eye irritation persists: Get medical advice / at

tention.

[Storage] : [P404] Store in a closed container.

[Disposal] : [P501] Dispose of contents/container in accordance with loc

al/regional/national/international regulation(to be specified).

[Safe Handling Advice] : [N00-010] Refer to SDS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture Ingredients and Concentration Range :

Ingredient (INCI Name)	concentration(%)	/ CAS RN®
1,3-Butylene Glycol	5-10	/ 107-88-0
(Butylene Glycol)		
Hydrogenated Soybean Phospholipid	0-10	/ 92128-87-5
(Hydrogenated Lecithin)		
Retinyl Palmitate	0-10	/ 57-88-5
(Retinyl Palmitate)		
Polyoxyethylene Hydrogenated Castor Oil	0-10	/ 114040-31-2
(PEG-60 Hydrogenated Castor Oil)		
Water,Others	0-10	/ 42766-91-6
(Water,Others)		
	80-95	/ -

4. FIRST-AID MEASURES

In Case of Inhalation : Take victim to a place of fresh air and keep at rest in a position

comfortable for breathing.

In Case of Skin Contact : Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

In Case of Eye Contact : Rinse cautiously with water for several minutes. Remove conta

ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.

In Case of Ingestion : Rinse mouth with water, and provide 1-2 cups of water or milk

to drink.

Get immediate medical advice / attention.

In the event that the victim is not conscious, do not feed anythi $\,$

ng through the mouth.

5. FIRE-FIGHTING MEASURES

Format: 20240701 NIKKOL AQUASOME AEC 2/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Suitable Extinguishing Media

Not Suitable Extinguishing Media

Special Hazards

Special Methods

Spetial Protective Action for Fire-Fighters

: Powder, alcohol-resistant form, carbon dioxide, sand, water sp

: No data available

During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire extinguishing.

: Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire from the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses.

: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene rated. Avoid inhaling smoke during fire extinguishing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and Cleaning Up

Prevention of Secondary Hazards

: Use goggles and protective gloves. In case of large spills, remo ve person to safety. Ensure adequate ventilation.

: Do not discharge into river or sewer.

: In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.

: Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks of fire.

7. HANDLING AND STORAGE

Handling

Technical Measures

Contact Avoidance Safe Handling Advice

Storage

Suitable Storage Conditions Safe Packaging Materials : The shower with water (for washing of eyes and body) must be installed near the handling facility.

: Keep away from source of ignition.

: Use adequate ventilation. Use goggles and protective gloves. Wash thoroughly after handling.

: Store in a well-ventilated place. Keep cool.

: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

ACGIH : Not established (2008)

Engineering Measures : Exhaust system must be installed in case steam, fume or mist i s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci

lity.

Protective Equipment

Format: 20240701 NIKKOL AQUASOME AEC 3/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Respiratory Protection : Not needed in case of standard handling.

Hand Protection : Impermeable protective gloves.

Eye/Face Protection : Goggles or protective glasses with side protectors.

Skin and Body Protection : Workwear with long sleeves.

Spetial Precautions : No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Turbid milky liquid Color : Light yellow

Odor : Faint characteristic odor

Melting Point / Congealing point : No data
Boiling Point or initial boiling point and : No data

boiling range

Flammability : No data

Lower and Upper explosion limit / : Upper Limit : No data, Lower Limit : No data

Flammability Limits

Flash Point : No data
Auto-Ignition Temperature : No data
Decomposition Temperature : No data
pH : 6.0~8.0(100%)
Kinematic Viscosity : No data

Kinematic Viscosity : No data
Solubility : Soluble
Partition Coefficient : n-Octanol / Water : No data
Vapour Pressure : No data
Decsity and/or Relative Dencity : No data
Relative Vapour Dencity : No data

Particle Characteristics

Other Data : No data

10. STABILITY AND REACTIVITY

Reactivity : Stable in general.
Chemical Stability : Stable in general.
Possibility of Hazardous Reactions : No data available
Condition to Avoid : No data available

Incompatible Materials : No Data

Hazardous Decomposition Products : Carbon monoxide, Nitrogen compound

11. TOXICOLOGICAL INFORMATION

Acute Toxicity (oral) : HYDROGENATED SOYBEAN PHOSPHOLIPID:LD50=Rat, 2000mg

/kg<

1,3-BUTYLENE GLYCOL:LD50=Mouse, 12980mg/kg

MAGNESIUM L-ASCORBYL-2-PHOSPHATE: Rat, LD50=10000mg/

kg<

Acute Toxicity (dermal) : 1,3-BUTYLENE GLYCOL:Rabbit, LD50=20000mg/kg

Acute Toxicity (Inhalation : gases) : No data
Acute Toxicity (Inhalation : vapors) : No data
Acute Toxicity (Inhalation : dust, mists) : No data

Skin Corrosion / Irritation : HYDROGENATED SOYBEAN PHOSPHOLIPID: Not a primary irrita

nt.Rabbit 100%, Closed patch test(24h):irritation index0.21/8.

0.

 ${\tt MAGNESIUM\ L-ASCORBYL-2-PHOSPHATE:\ Albino\ rabbit,\ 4\ hrs,}$

semi-occlusive, negligibly irritating



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Serious Eye Damage / Irritation

: MAGNESIUM L-ASCORBYL-2-PHOSPHATE: Albino rabbit, No ey

ewash, mildly irritating (undiluted)

: HYDROGENATED SOYBEAN PHOSPHOLIPID: No causing sensiti Respiratory or Skin Sensitization vity,110 human,15%petrolatum dispersed solution,back,after

No photosensitization,110 human,15% petrolatum dispersed s olution,back,after 10 repeated closed patch test final closed p

10 repeated closed patch test final closed patch test after 12da

atch test after 13days.

MAGNESIUM L-ASCORBYL-2-PHOSPHATE: Skin sensitization (al

bino guinea pig): non-sensitizing (5,10, 25, 50%)

Mutagenicity (germ cell mutagenicity) : MAGNESIUM L-ASCORBYL-2-PHOSPHATE: Ames: non-mutagen

: No data

: No data

ic

Carcinogenicity

IARC : Not applicable NTP : Not available **Reproductive Toxicity** : No data

Specific Target Organ Systemic Toxicity

(Single Exposure)

Specific Target Organ Systemic Toxicity

(Repeated Exposure)

: No data **Aspiration Hazard**

12. ECOLOGICAL INFORMATION

: MAGNESIUM L-ASCORBYL-2-PHOSPHATE: Acute toxicity in Car **Ecotoxicity**

p: >100mg/l (96h-LC50)

Acute toxicity in Daphnia Magna: >100mg/l (48h-EC50)

Persistence / Degradability : No data **Bioaccumulative Potential** : No data Mobility in Soil : No data Hazardous to The Ozone Layer : No data

13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

14. TRANSPORT INFORMATION

International Regulations : Please follow applicable IATA regulations for air transport and

IMDG regulations for sea transport.

UN Class / UN Number:

IATA: UN Number **Proper Shipping Name** Class **Packing Group** IMDG: UN Number **Proper Shipping Name**

Class **Packing Group**

Additional Information

Special Precautions for User : Review "Section 7: "Handling and Storage".

Format: 20240701 NIKKOL AQUASOME AEC 5/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

 ${\bf Ensure\ containers\ without\ breakage\ or\ leakage.}$

Ensure containers tightly fixed.

Follow all regulations in your country or region.

15. REGULATORY INFORMATION

Inventories:

ENCS(Japan) : 2-235,-,4-1301,5-5982,8-491,-

16. OTHER INFORMATION

Reference

: International Chemical Safety Cards(ICSC)Compiler's Guide Cosmetics Handbook NIKKOL CHEMICALS CO.,LTD. (2006)

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently available to us, but the values, such as contents of ingredients, p hysical and chemical properties, are not necessarily identical to those in the specification. In addition, the precautions are intended for the cases where this product is handled and used under normal conditions. Thus, in cases of special uses or handling, users should use and handle it, taking appropriate safety measures in accordance with the intended uses and how to use the product.