

1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Date of Creation / last update: July 01, 2024

Code: S034984

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name NIKKOL BL-4.2

Company : NIPPON SURFACTANT INDUSTRIES CO., LTD.

Address : 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP

AN

 Division
 : Technical Division

 Tel. No.
 : 028-661-6121

 Fax No.
 : 028-663-0426

E-Mail address : info-sds@nikkolgroup.com

Emergency tel. No. : NIKKO CHEMICALS CO., LTD.+81-3-3661-1677

Recommended use and restrictions on use

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Physical and Chemical Hazards : Not classified

**Health Hazards** 

Acute Toxicity (Oral) : Not classified
Acute Toxicity (Dermal) : Not classified
Acute Toxicity : Not classified

(Inhalation: gases)

Acute Toxicity : Classification not possible

(Inhalation : vapors)

Acute Toxicity : Classification not possible

(Inhalation: dust, mists)

Skin Corrosion / Irritation : CATEGORY 2
Serious Eye Damage / Eye Irritation : CATEGORY 1

Respiratory Sensitization : Classification not possible

Skin Sensitization: Not classifiedGerm Cell Mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive Toxicity: Not classified

Specific Target Organ Systemic : Classification not possible

Toxicity (Single Exposure)

Specific Target Organ Systemic : Classification not possible

Toxicity (Repeated Exposure)

Aspiration Hazard : Classification not possible

**Environmental Hazards** 

Short-term (acute) hazardous to : CATEGORY 1

the aquatic environment

Long-term (chronic) hazardous to : Not classified

the aquatic environment

Hazardous to The Ozone Layer : Classification not possible

**GHS Label Elements** 



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Pictograms or Symbols



Signal Word : Danger

Hazard Statements : [H315] Causes skin irritation

[H318] Causes serious eye damage[H400] Very toxic to aquatic life

**Precautionary Statements** 

[Prevention] : [P264] Wash thoroughly after handling.

[P280] Wear protective gloves / protective clothing / eye pro

tection / face protection.

[P273] Avoid release to the environment.

[Response] : [P301+P312] IF SWALLOWED: Call a doctor / physician if you

feel unwell.

[P302+P352] IF ON SKIN: Wash with plenty of soap and wate

r.

[P362] Take off contaminated clothing and wash before reus

e.

【P332+P313】 If skin irritation occurs: Get medical advice / att

ention.

[P305+P351+P338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy t

o do. Continue rinsing.

[P310] Immediately call a doctor / physician.

[P391] Collect spillage.

[Storage] : [P404] Store in a closed container.

[Disposal] : [P501] Dispose of contents/container in accordance with loc

al/regional/national/international regulation(to be specified).

【Safe Handling Advice】 : 【N00-010】Refer to SDS

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture : Substance

Ingredients and Concentration Range

Ingredient (INCI Name) concentration(%) / CAS RN® POE(4.2)Lauryl Ether 100 / 5274-68-0

(Laureth-4)

## 4. FIRST-AID MEASURES

In Case of Inhalation : Take victim to a place of fresh air and keep at rest in a position

comfortable for breathing.

In Case of Skin Contact : Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

In Case of Eye Contact : Rinse cautiously with water for several minutes. Remove conta

ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

In Case of Ingestion

: Rinse mouth with water, and provide 1-2 cups of water or milk to drink.

Get immediate medical advice / attention.

In the event that the victim is not conscious, do not feed anything through the mouth.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not Suitable Extinguishing Media Special Hazards

Special Methods

Spetial Protective Action for Fire-Fighters

: Powder, alcohol-resistant form, carbon dioxide, sand, water sp ray.

: No data available

During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire extinguishing.

: Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire from the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses.

: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene rated. Avoid inhaling smoke during fire extinguishing.

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and

Prevention of Secondary Hazards

- : Use goggles and protective gloves. In case of large spills, remo ve person to safety. Ensure adequate ventilation.
- : Do not discharge into river or sewer.
- : In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.
- : Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks of fire.

## 7. HANDLING AND STORAGE

Handling

Cleaning Up

**Technical Measures** 

Contact Avoidance Safe Handling Advice

Storage

Suitable Storage Conditions Safe Packaging Materials

- : The shower with water (for washing of eyes and body) must be installed near the handling facility.
- : Keep away from source of ignition.
- : Use adequate ventilation. Use goggles and protective gloves. Wash thoroughly after handling.
- : Store in a well-ventilated place. Keep cool.
- : No information available

Format: 20240701 NIKKOL BL-4.2 3/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

ACGIH : Not established (2008)

Engineering Measures : Exhaust system must be installed in case steam, fume or mist i

s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci

lity.

**Protective Equipment** 

Respiratory Protection : Not needed in case of standard handling.

Hand Protection : Impermeable protective gloves.

Eye/Face Protection : Goggles or protective glasses with side protectors.

Skin and Body Protection : Workwear with long sleeves.

Spetial Precautions : No data available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid Color : Colorless

Odor : Characteristic odor

Melting Point / Congealing point : No data
Boiling Point or initial boiling point and : No data

boiling range

Flammability : No data

Lower and Upper explosion limit / : Upper Limit : No data, Lower Limit : No data

Flammability Limits

Flash Point : 178°C

Auto-Ignition Temperature : No data

Decomposition Temperature : No data

pH : 4~7(5% aq.sol.)

Kinematic Viscosity : No data

Solubility : Gel(10%)
Partition Coefficient : n-Octanol / Water : No data
Vapour Pressure : No data

Decsity and/or Relative Dencity : 0.94(25°C)(Reference)

Relative Vapour Dencity : No data

Particle Characteristics

Other Data : No data

### 10. STABILITY AND REACTIVITY

Reactivity : Stable in general.
Chemical Stability : Stable in general.
Possibility of Hazardous Reactions : No data available
Condition to Avoid : No data available

Incompatible Materials : No Data

Hazardous Decomposition Products : Carbon monoxide, Nitrogen compound

## 11. TOXICOLOGICAL INFORMATION

 $\textbf{Acute Toxicity (oral)} \\ \textbf{: } \textcircled{1} \textbf{LD50,Rat,1.19} \\ \pm 0.146 \\ \textbf{mL/Kg} \textcircled{2} \textbf{LD50,Mouse,3.05} \\ \pm 0.48 \\ \textbf{mL/Kg} \\ \textbf{Mouse,3.05} \\ \textbf{Mouse,3.05}$ 

③LD50,Mouse,>1.5mL/Kg(Refarece: BL-9EX(POE(9)Lauryl Eth

er))

Acute Toxicity (dermal) : No data
Acute Toxicity (Inhalation : gases) : No data
Acute Toxicity (Inhalation : vapors) : No data

Format: 20240701 NIKKOL BL-4.2 4/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Acute Toxicity (Inhalation : dust, mists)

Skin Corrosion / Irritation

nt(abraded skin) ②canine、100%、5ml、cervical and vaginal mucosa,non irritant(Refarece: BL-9EX(POE (9) Lauryl Ether)): 20% slight irritant(Refarece: BL-9EX(POE (9) Lauryl Ether))

: ①rabbit、15、20%、slight irritant(intact skin),moderate rrita

Serious Eye Damage / Irritation Respiratory or Skin Sensitization

: Skin sensitization(Human,51 people): non-sensitizing(Refarec

e: BL-9EX(POE(9)Lauryl Ether))

Mutagenicity (germ cell mutagenicity)

Carcinogenicity

IARC : Not applicable
NTP : Not applicable
Reproductive Toxicity : No data

Specific Target Organ Systemic Toxicity

(Single Exposure)

Specific Target Organ Systemic Toxicity

(Repeated Exposure)

Aspiration Hazard

: No data

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity : Tlm3.29(Carp)(Refarece : POE(9.5)Lauryl Ether)

Persistence / Degradability : No data
Bioaccumulative Potential : No data
Mobility in Soil : No data
Hazardous to The Ozone Layer : No data

#### 13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

### 14. TRANSPORT INFORMATION

International Regulations : Please follow applicable IATA regulations for air transport and

IMDG regulations for sea transport.

UN Class / UN Number :

IATA: UN Number : UN3082

Proper Shipping Name : Environmentally hazardous substances, liquid, n.o.s. (alcohol C

12-C16 poly(1-6)ethoxylate)

Class : Class 9
Packing Group : III
IMDG: UN Number : UN3082

Proper Shipping Name : Environmentally hazardous substances, liquid, n.o.s. (alcohol C

12-C16 poly(1-6)ethoxylate)

Class : Class 9
Packing Group : III

Additional Information : Marine pollutant

Special Precautions for User : Review "Section 7: "Handling and Storage".

Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

### 15. REGULATORY INFORMATION

Format: 20240701 NIKKOL BL-4.2 5/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Inventories:

ENCS(Japan) : 7-97

### **16. OTHER INFORMATION**

Reference

: International Chemical Safety Cards(ICSC)Compiler's Guide 1)Guigance on the preparation of GHS MSDS of surfactant(201 0 edition)2)CERI·NITE hazard assessment report 2005

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently av ailable to us, but the values, such as contents of ingredients, p hysical and chemical properties, are not necessarily identical t o those in the specification. In addition, the precautions are int ended for the cases where this product is handled and used un der normal conditions. Thus, in cases of special uses or handli ng, users should use and handle it, taking appropriate safety m easures in accordance with the intended uses and how to use t he product.