

1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN https://www.nikkol.co.jp/en

Date of Creation / last update : July 01, 2024

Code: S034986

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	[:] NIKKOL BL-4.2
Company	: NIPPON SURFACTANT INDUSTRIES CO., LTD.
Address	: 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP AN
Division	: Technical Division
Tel. No.	: 028-661-6121
Fax No.	: 028-663-0426
E-Mail address	:info-sds@nikkolgroup.com
Emergency tel. No.	: NIKKO CHEMICALS CO., LTD.+81-3-3661-1677
Recommended use and restrictions on use	:

2. HAZARDS IDENTIFICATION

GHS Classification	
Physical and Chemical Hazards	: Not classified
Health Hazards	
Acute Toxicity (Oral)	: Not classified
Acute Toxicity (Dermal)	: Not classified
Acute Toxicity	: Not classified
(Inhalation : gases)	
Acute Toxicity	Classification not possible
(Inhalation : vapors)	
Acute Toxicity	Classification not possible
(Inhalation : dust, mists)	
Skin Corrosion / Irritation	: CATEGORY 2
Serious Eye Damage / Eye Irritation	: CATEGORY 1
Respiratory Sensitization	Classification not possible
Skin Sensitization	: Not classified
Germ Cell Mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive Toxicity	: Not classified
Specific Target Organ Systemic	Classification not possible
Toxicity (Single Exposure)	
Specific Target Organ Systemic	Classification not possible
Toxicity (Repeated Exposure)	
Aspiration Hazard	Classification not possible
Environmental Hazards	
Short-term (acute) hazardous to	: CATEGORY 1
the aquatic environment	
Long-term (chronic) hazardous to	: Not classified
the aquatic environment	
Hazardous to The Ozone Layer	Classification not possible
GHS Label Elements	



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN https://www.nikkol.co.jp/en

Pictograms or Symbols	
Signal Word	: Danger
Hazard Statements	 [H315] Causes skin irritation [H318] Causes serious eye damage [H400] Very toxic to aquatic life
Precautionary Statements	
[Prevention]	 [P264] Wash thoroughly after handling. [P280] Wear protective gloves / protective clothing / eye pro tection / face protection. [P273] Avoid release to the environment.
[Response]	 [P301+P312] IF SWALLOWED: Call a doctor / physician if you feel unwell. [P302+P352] IF ON SKIN: Wash with plenty of soap and wate r. [P362] Take off contaminated clothing and wash before reus e. [P332+P313] If skin irritation occurs: Get medical advice / att ention. [P305+P351+P338] IF IN EYES: Rinse cautiously with water fo r several minutes. Remove contact lenses, if present and easy t o do. Continue rinsing. [P301] Immediately call a doctor / physician. [P301] Collect spillage.
[Storage] [Disposal] [Safe Handling Advice]	 [P404] Store in a closed container. [P501] Dispose of contents/container in accordance with loc al/regional/national/international regulation(to be specified). [N00-010] Refer to SDS
-	

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture	: Substance	
Ingredients and Concentration Range	:	
Ingredient (INCI Name)	concentration(%)	/ CAS RN®
POE(4.2)Lauryl Ether (Laureth-4)	100	/ 5274-68-0

4. FIRST-AID MEASURES

In Case of Inhalation	: Take victim to a place of fresh air and keep at rest in a position comfortable for breathing.
In Case of Skin Contact	: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse.
In Case of Eye Contact	 Rinse cautiously with water for several minutes. Remove conta ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

In Case of Ingestion	: Rinse mouth with water, and provide 1-2 cups of water or milk to drink. Get immediate medical advice / attention.
	In the event that the victim is not conscious, do not feed anythi ng through the mouth.
5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media	: Powder, alcohol-resistant form, carbon dioxide, sand, water sp ray.
Not Suitable Extinguishing Media	: No data available
Special Hazards	During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire exti nguishing.
Special Methods	Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire fro m the same direction of the wind. Evacuate personnel not invo lved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Wate r used to extinguish a fire should not be allowed to enter the dr ainage system or water courses.
Spetial Protective Action for Fire-Fighters	: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene rated. Avoid inhaling smoke during fire extinguishing.
6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and Cleaning Up	 Use goggles and protective gloves. In case of large spills, remo ve person to safety. Ensure adequate ventilation. Do not discharge into river or sewer. In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.
Prevention of Secondary Hazards	: Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle

7. HANDLING AND STORAGE

Handling

Technical Measures

Contact Avoidance Safe Handling Advice

Storage

Suitable Storage Conditions Safe Packaging Materials : The shower with water (for washing of eyes and body) must be installed near the handling facility.

aning the spill use adequate tools that do not promote sparks

- : Keep away from source of ignition.
- : Use adequate ventilation. Use goggles and protective gloves. Wash thoroughly after handling.
- : Store in a well-ventilated place. Keep cool.
- : No information available

of fire.



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN https://www.nikkol.co.jp/en

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters	
ACGIH	: Not established (2008)
Engineering Measures	Exhaust system must be installed in case steam, fume or mist i s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci lity.
Protective Equipment	
Respiratory Protection	: Not needed in case of standard handling.
Hand Protection	: Impermeable protective gloves.

Hand Protection	: Impermeable protective gloves.
Eye/Face Protection	: Goggles or protective glasses with side protectors.
Skin and Body Protection	: Workwear with long sleeves.
Spetial Precautions	: No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Liquid
Color	: Colorless
Odor	: Characteristic odor
Melting Point / Congealing point	: No data
Boiling Point or initial boiling point and	:No data
boiling range	
Flammability	: No data
Lower and Upper explosion limit /	: Upper Limit : No data,Lower Limit : No data
Flammability Limits	
Flash Point	: 178°C
Auto-Ignition Temperature	:No data
Decomposition Temperature	:No data
рН	:4~7(5% aq.sol.)
Kinematic Viscosity	:No data
Solubility	: Gel(10%)
Partition Coefficient : n-Octanol / Water	: No data
Vapour Pressure	: No data
Decsity and/or Relative Dencity	: 0.94(25°C)(Reference)
Relative Vapour Dencity	:No data
Particle Characteristics	:
Other Data	: No data

10. STABILITY AND REACTIVITY

Reactivity	: Stable in general.
Chemical Stability	:Stable in general.
Possibility of Hazardous Reactions	: No data available
Condition to Avoid	: No data available
Incompatible Materials	: No Data
Hazardous Decomposition Products	: Carbon monoxide,Nitrogen compound

11. TOXICOLOGICAL INFORMATION

Acute Toxicity (oral)	: ①LD50,Rat,1.19±0.146mL/Kg ②LD50,Mouse,3.05±0.48mL/Kg
	③LD50,Mouse,>1.5mL/Kg(Refarece: BL-9EX(POE(9)Lauryl Eth
	er))
Acute Toxicity (dermal)	: No data
Acute Toxicity (Inhalation : gases)	: No data
Acute Toxicity (Inhalation : vapors)	: No data



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN https://www.nikkol.co.jp/en

Acute Toxicity (Inhalation : dust, mists) Skin Corrosion / Irritation	 No data ①rabbit、15、20%、slight irritant(intact skin),moderate rrita nt(abraded skin) ②canine、100%、5ml、cervical and vaginal mucosa,non irritant(Refarece : BL-9EX(POE (9) Lauryl Ether))
Serious Eye Damage / Irritation	: 20% slight irritant(Refarece : BL-9EX(POE (9) Lauryl Ether))
Respiratory or Skin Sensitization	: Skin sensitization(Human,51 people) : non-sensitizing(Refarec e : BL-9EX(POE(9)Lauryl Ether))
Mutagenicity (germ cell mutagenicity)	: No data
Carcinogenicity	
IARC	: Not applicable
NTP	: Not applicable
Reproductive Toxicity	: No data
Specific Target Organ Systemic Toxicity (Single Exposure)	: No data
Specific Target Organ Systemic Toxicity (Repeated Exposure)	: No data
Aspiration Hazard	: No data

: No data

: No data

: No data

: No data

12. ECOLOGICAL INFORMATION

Ecotoxicity Persistence / Degradability Bioaccumulative Potential Mobility in Soil Hazardous to The Ozone Layer

13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

: Tlm3.29(Carp)(Refarece : POE(9.5)Lauryl Ether)

14. TRANSPORT INFORMATION

International Regulations

UN Class / UN Number : IATA : UN Number Proper Shipping Name

> Class Packing Group IMDG: UN Number Proper Shipping Name

Class Packing Group Additional Information Special Precautions for User

: Please follow applicable IATA regulations for air transport and IMDG regulations for sea transport.

- : UN3082
- : Environmentally hazardous substances, liquid, n.o.s. (alcohol C 12-C16 poly(1-6) ethoxylate)
- : Class 9
- : III
- :UN3082
- : Environmentally hazardous substances, liquid, n.o.s. (alcohol C 12-C16 poly(1-6) ethoxylate)
- : Class 9
- : III
- : Marine pollutant
- : Review "Section 7 : "Handling and Storage".
- Ensure containers without breakage or leakage.
- Ensure containers tightly fixed.
- Follow all regulations in your country or region.

15. REGULATORY INFORMATION



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN https://www.nikkol.co.jp/en

Inventories :

ENCS(Japan)

:7-97

16. OTHER INFORMATION

Reference

: International Chemical Safety Cards(ICSC)Compiler's Guide 1)Guigance on the preparation of GHS MSDS of surfactant(201 0 edition)2)CERI·NITE hazard assessment report 2005

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently av ailable to us, but the values, such as contents of ingredients, p hysical and chemical properties, are not necessarily identical t o those in the specification. In addition, the precautions are int ended for the cases where this product is handled and used un der normal conditions. Thus, in cases of special uses or handli ng, users should use and handle it, taking appropriate safety m easures in accordance with the intended uses and how to use t he product.