

1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Date of Creation / last update: July 01, 2024

Code: S001962

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name NIKKOL CA-2330

Company : NIPPON SURFACTANT INDUSTRIES CO., LTD.

Address : 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP

AN

 Division
 : Technical Division

 Tel. No.
 : 028-661-6121

 Fax No.
 : 028-663-0426

E-Mail address : info-sds@nikkolgroup.com

Emergency tel. No. : NIKKO CHEMICALS CO., LTD.+81-3-3661-1677

Recommended use and restrictions on use

2. HAZARDS IDENTIFICATION

GHS Classification

Physical and Chemical Hazards : Not classified

Health Hazards

Acute Toxicity (Oral) : CATEGORY 3
Acute Toxicity (Dermal) : Not classified
Acute Toxicity : Not classified

(Inhalation: gases)

Acute Toxicity : Classification not possible

(Inhalation : vapors)

Acute Toxicity : Classification not possible

(Inhalation : dust, mists)

Skin Corrosion / Irritation : CATEGORY 2
Serious Eye Damage / Eye Irritation : CATEGORY 2A

Respiratory Sensitization: Classification not possibleSkin Sensitization: Classification not possibleGerm Cell Mutagenicity: Classification not possibleCarcinogenicity: Classification not possibleReproductive Toxicity: Classification not possible

Specific Target Organ Systemic : CATEGORY 3

Toxicity (Single Exposure)

Specific Target Organ Systemic : Classification not possible

Toxicity (Repeated Exposure)

Aspiration Hazard : Classification not possible

Environmental Hazards

Short-term (acute) hazardous to : CATEGORY 1

the aquatic environment

Long-term (chronic) hazardous to : CATEGORY 1

the aquatic environment

Hazardous to The Ozone Layer : Classification not possible

GHS Label Elements



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Pictograms or Symbols

Signal Word : Danger

Hazard Statements : [H301] Toxic if swallowed

【H315】 Causes skin irritation

[H319] Causes serious eye irritation[H335] May cause respiratory irritation

[H400] Very toxic to aquatic life

[H410] Very toxic to aquatic life with long lasting effects

Precautionary Statements

[Prevention] : [P264] Wash thoroughly after handling.

[P270] Do not eat, drink or smoke when using this product.[P280] Wear protective gloves / protective clothing / eye pro

tection / face protection.

[P261**]** Avoid breathing dust / fume / gas / mist / vapours / sp

ray.

[P271] Use only outdoors or in a well-ventilated area.

[P273] Avoid release to the environment.

[Response] : [P301+P310] IF SWALLOWED: Immediately call a doctor / ph

ysician.

[P330] Rinse mouth.

 $\hbox{$\left($P302$+$P352\right)$ IF ON SKIN: Wash with plenty of soap and wate}$

[P362] Take off contaminated clothing and wash before reus

e. 【P332+P313】If skin irritation occurs: Get medical advice / att

ention.

[P305+P351+P338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

[P337+P313**]** If eye irritation persists: Get medical advice / at tention.

[P304+P340] IF INHALED: Remove victim to fresh air and kee

p at rest in a position comfortable for breathing.

[P312] Call a doctor / physician if you feel unwell.

[P391] Collect spillage.

[Storage] : [P403+P233] Store in a well-ventilated place. Keep container

tightly closed.

【P405】Store locked up.

[Disposal] : [P501] Dispose of contents/container in accordance with loc

 $al/regional/national/international\ regulation (to\ be\ specified).$

[Safe Handling Advice] : [N00-010] Refer to SDS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture

Format: 20240701 NIKKOL CA-2330 2/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Ingredients and Concentration Range

Ingredient (INCI Name) concentration(%) / CAS RN®

Cetyl Trimethyl Ammonium Chloride 29 / 112-02-7

(Cetrimonium Chloride)

Water 71 / 7732-18-5

(Water)

4. FIRST-AID MEASURES

In Case of Inhalation : Take victim to a place of fresh air and keep at rest in a position

comfortable for breathing.

In Case of Skin Contact

: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

In Case of Eye Contact : Rinse cautiously with water for several minutes. Remove conta

ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.

In Case of Ingestion : Rinse mouth with water, and provide 1-2 cups of water or milk to drink.

Get immediate medical advice / attention.

In the event that the victim is not conscious, do not feed anythi

ng through the mouth.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not Suitable Extinguishing Media

Special Hazards

Special Methods

Spetial Protective Action for Fire-Fighters

: Powder, alcohol-resistant form, carbon dioxide, sand, water sp ray.

: No data available

During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire extinguishing.

: Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire from the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses.

: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene rated. Avoid inhaling smoke during fire extinguishing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and Cleaning Up

- : Use goggles and protective gloves. In case of large spills, remove person to safety. Ensure adequate ventilation.
- : Do not discharge into river or sewer.
- In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.

Format: 20240701 NIKKOL CA-2330 3/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Prevention of Secondary Hazards

: Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks of fire.

7. HANDLING AND STORAGE

Handling

Technical Measures : The shower with water (for washing of eyes and body) must be

installed near the handling facility.

Contact Avoidance : Keep away from source of ignition.

Safe Handling Advice : Use adequate ventilation. Use goggles and protective gloves.

Wash thoroughly after handling.

Storage

Suitable Storage Conditions : Store in a well-ventilated place. Keep cool.

Safe Packaging Materials : No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

ACGIH : Not established (2008)

Engineering Measures : Exhaust system must be installed in case steam, fume or mist i

s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci

lity

Protective Equipment

Respiratory Protection : Not needed in case of standard handling.

Hand Protection : Impermeable protective gloves.

Eye/Face Protection : Goggles or protective glasses with side protectors.

Skin and Body Protection : Workwear with long sleeves.

Spetial Precautions : No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Color : White to light yellow Odor : Faint characteristic odor

Melting Point / Congealing point : No data
Boiling Point or initial boiling point and : No data

boiling range

Flammability : No data

Lower and Upper explosion limit / : Upper Limit : No data, Lower Limit : No data

Flammability Limits

Flash Point : No data
Auto-Ignition Temperature : No data
Decomposition Temperature : No data

pH : 5.0~8.5(10% aq.sol.)

Kinematic Viscosity : No data
Solubility : Soluble
Partition Coefficient : n-Octanol / Water : No data
Vapour Pressure : No data
Decsity and/or Relative Dencity : No data
Relative Vapour Dencity : No data

Format: 20240701 NIKKOL CA-2330 4/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Particle Characteristics

Other Data : No data

10. STABILITY AND REACTIVITY

Reactivity : Stable in general.
Chemical Stability : Stable in general.
Possibility of Hazardous Reactions : No data available
Condition to Avoid : No data available

Incompatible Materials : No Data

Hazardous Decomposition Products : Carbon monoxide, Nitrogen compound

11. TOXICOLOGICAL INFORMATION

 $\mbox{Acute Toxicity (oral)} \qquad \qquad \mbox{: (Data on product)LD50,Rat,250} \sim 300 \mbox{mg/kg(Data on ingredient)} \label{eq:continuous}$

)Cetyl Trimethyl Ammonium Chloride: LD50,Mouse,400mg/kg

Acute Toxicity (dermal) : (Data on product)No data(Data on ingredient)Cetyl Trimethyl

Ammonium Chloride: LD50, Rabbit, 2000 mg/kg

Acute Toxicity (Inhalation : gases) : No data
Acute Toxicity (Inhalation : vapors) : No data
Acute Toxicity (Inhalation : dust, mists) : No data

Skin Corrosion / Irritation : (Data on product) No data(Data on ingredient) Cetyl Trimethyl

Ammonium Chloride: Human Irritating

Serious Eye Damage / Irritation : (Data on product) No data available(Data on ingredient)Cetyl T

rimethyl Ammonium Chloride: Human Irritating

Respiratory or Skin Sensitization : No data
Mutagenicity (germ cell mutagenicity) : No data

Carcinogenicity

IARC : Not applicable
NTP : Not available
Reproductive Toxicity : No data
Specific Target Organ Systemic Toxicity : No data

(Single Exposure)

Specific Target Organ Systemic Toxicity : No data

(Repeated Exposure)

Aspiration Hazard : No data

12. ECOLOGICAL INFORMATION

Ecotoxicity : (Data on product)No data(Data on ingredient)Cetyl Trimethyl

Ammonium Chloride: 48hours, EC50, water flea, 0.01mg/L7day s, EC50, Lemna minor, 0.08mg/L96hours, LC50, Bluegill, 0.1mg/L

Persistence / Degradability : No data
Bioaccumulative Potential : No data
Mobility in Soil : No data

Hazardous to The Ozone Layer : No data

13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

14. TRANSPORT INFORMATION

Format: 20240701 NIKKOL CA-2330 5/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

International Regulations

UN Class / UN Number :

IATA: UN Number

Proper Shipping Name

Class

Packing Group IMDG: UN Number

Proper Shipping Name

Class

Packing Group

Additional Information

Special Precautions for User

: Please follow applicable IATA regulations for air transport and IMDG regulations for sea transport.

: UN3082

: Environmentally hazardous substances, liquid, n.o.s.

: Class 9

: 111

: UN3082

: Environmentally hazardous substances, liquid, n.o.s.

: Class 9

: 111

: Marine pollutant

: Review "Section 7: "Handling and Storage". Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

15. REGULATORY INFORMATION

Inventories:

ENCS(Japan) : 2-184,None

16. OTHER INFORMATION

Reference

: International Chemical Safety Cards(ICSC)Compiler's Guide CERI·NITE hazard assessment report 2006

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently av ailable to us, but the values, such as contents of ingredients, p hysical and chemical properties, are not necessarily identical t o those in the specification. In addition, the precautions are int ended for the cases where this product is handled and used un der normal conditions. Thus, in cases of special uses or handling, users should use and handle it, taking appropriate safety m easures in accordance with the intended uses and how to use the product.