

1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Date of Creation / last update: July 01, 2024

Code: S001969

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name NIKKOL CA-2580

Company : NIPPON SURFACTANT INDUSTRIES CO., LTD.

Address : 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP

AN

 Division
 : Technical Division

 Tel. No.
 : 028-661-6121

 Fax No.
 : 028-663-0426

E-Mail address : info-sds@nikkolgroup.com

Emergency tel. No. : NIKKO CHEMICALS CO., LTD.+81-3-3661-1677

Recommended use and restrictions on use

2. HAZARDS IDENTIFICATION

GHS Classification

Physical and Chemical Hazards : CATEGORY 2

Health Hazards

Acute Toxicity (Oral) : Classification not possible Acute Toxicity (Dermal) : Classification not possible

Acute Toxicity : Not classified

(Inhalation: gases)

Acute Toxicity : Classification not possible

(Inhalation : vapors)

Acute Toxicity : Classification not possible

(Inhalation : dust, mists)

Skin Corrosion / Irritation : Classification not possible

Serious Eye Damage / Eye Irritation : CATEGORY 2A

Respiratory Sensitization : Classification not possible Skin Sensitization : Classification not possible

Germ Cell Mutagenicity : CATEGORY 1B

Carcinogenicity : Classification not possible

Reproductive Toxicity : CATEGORY 1A
Specific Target Organ Systemic : CATEGORY 3

Toxicity (Single Exposure)

Specific Target Organ Systemic : CATEGORY 1

Toxicity (Repeated Exposure)

Aspiration Hazard : Classification not possible

Environmental Hazards

Short-term (acute) hazardous to : Classification not possible

the aquatic environment

Long-term (chronic) hazardous to : Classification not possible

the aquatic environment

Hazardous to The Ozone Layer : Classification not possible

GHS Label Elements



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Pictograms or Symbols



Signal Word : Danger

Hazard Statements : 【H225】 Highly flammable liquid and vapour

[H319] Causes serious eye irritation

【H340】 May cause genetic defects

[H360] May damage fertility or the unborn child

[H335] May cause respiratory irritation

[H372] Causes damage to organs through prolonged or repe

ated exposure

Precautionary Statements

[Response]

[Prevention] : [P264] Wash thoroughly after handling.

[P270] Do not eat, drink or smoke when using this product.

[P280] Wear protective gloves / protective clothing / eye protection / face protection.

[P210] Keep away from heat / sparks / open flames/hot surfaces. -No smoking.

(P202) Do not handle until all safety precautions have been r ead and understood.

(P280) Wear protective gloves / protective clothing / eye protection / face protection.

【P261】Avoid breathing dust / fume / gas / mist / vapours / sp

【P271】Use only outdoors or in a well-ventilated area.

[P233] Keep container tightly closed.

【P242】 Use only non-sparking tools.

: 【P301+P312】IF SWALLOWED: Call a doctor / physician if you feel unwell.

【P302+P352】IF ON SKIN: Wash with plenty of soap and wate

[P305+P351+P338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

【P337+P313】 If eye irritation persists: Get medical advice / at

(P308+P313**)** IF exposed or concerned: Get medical advice / attention.

[P304+P340] IF INHALED: Remove victim to fresh air and kee p at rest in a position comfortable for breathing.

[P312] Call a doctor / physician if you feel unwell.

[P314] Get medical advice / attention if you feel unwell.

【P303+P361+P353】 IF ON SKIN(or hair): Remove/Take off im mediately all contaminated clothing. Rinse skin with water/shower

wer.

[Storage] : [P404] Store in a closed container.

Format: 20240701 NIKKOL CA-2580 2/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

[P403+P233] Store in a well-ventilated place. Keep container

tightly closed.

[P405] Store locked up.

[P403+P235] Store in a well-ventilated place. Keep cool.

[Disposal] : [P501] Dispose of contents/container in accordance with loc

al/regional/national/international regulation(to be specified).

[Safe Handling Advice] : [N00-010] Refer to SDS

[PN001] Avoid dust formation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture

Ingredients and Concentration Range

Ingredient (INCI Name) concentration(%) / CAS RN®

Behenyl Trimethyl Ammonium Chloride 80 / 17301-53-0

(Behentrimonium Chloride)

Ethanol 20 / 64-17-5

(Alcohol)

4. FIRST-AID MEASURES

In Case of Inhalation : Take victim to a place of fresh air and keep at rest in a position

comfortable for breathing.

In Case of Skin Contact : Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

In Case of Eye Contact : Rinse cautiously with water for several minutes. Remove conta

ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.

In Case of Ingestion : Rinse mouth with water, and provide 1-2 cups of water or milk

to drink.

Get immediate medical advice / attention.

In the event that the victim is not conscious, do not feed anythi

ng through the mouth.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media : Powder, alcohol-resistant form, carbon dioxide, sand, water sp

ray.

Not Suitable Extinguishing Media : No data available

Special Hazards : During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid

e etc) may be generated. Avoid inhaling smoke during fire exti

nguishing.

Special Methods : Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire fro

m the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the dr

ainage system or water courses.

Spetial Protective Action for Fire-Fighters : Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene

rated. Avoid inhaling smoke during fire extinguishing.

6. ACCIDENTAL RELEASE MEASURES

Format: 20240701 NIKKOL CA-2580 3/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Personal Precautions, Protective Equipment

and Emergency Procedure **Environmental Precautions**

Methods and Materials for Contaminment and

Cleaning Up

nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent

: In case of a small spill, absorb with liquid-binding material (sa

: Use goggles and protective gloves. In case of large spills, remo

elution and collect into drums or other containers.

ve person to safety. Ensure adequate ventilation.

: Do not discharge into river or sewer.

Prevention of Secondary Hazards : Promptly remove all combustible objects away from the spill a

> nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks

of fire.

7. HANDLING AND STORAGE

Handling

Technical Measures : The shower with water (for washing of eyes and body) must be

installed near the handling facility.

Contact Avoidance : Keep away from source of ignition.

Safe Handling Advice : Use adequate ventilation. Use goggles and protective gloves.

Wash thoroughly after handling.

Storage

Suitable Storage Conditions : Store in a well-ventilated place. Keep cool.

Safe Packaging Materials : No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

ACGIH : Ethanol :TWA 1000ppm (2002)

Engineering Measures : Exhaust system must be installed in case steam, fume or mist i

> s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci

lity.

Protective Equipment

Respiratory Protection : Not needed in case of standard handling.

Hand Protection : Impermeable protective gloves.

Eye/Face Protection : Goggles or protective glasses with side protectors.

Skin and Body Protection : Workwear with long sleeves.

Spetial Precautions : No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Solid

Color : White to light yellow Odor : Faint characteristic odor

Melting Point / Congealing point : No data Boiling Point or initial boiling point and : No data

boiling range

Flammability : No data

Lower and Upper explosion limit / : Upper Limit : No data, Lower Limit : No data

Flammability Limits

Flash Point : 9.5°C **Auto-Ignition Temperature** : No data

Format: 20240701 NIKKOL CA-2580 4/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Decomposition Temperature : No data рΗ : No data **Kinematic Viscosity** : No data Solubility : Insoluble Partition Coefficient: n-Octanol / Water : No data Vapour Pressure : No data Decsity and/or Relative Dencity : No data **Relative Vapour Dencity** : No data

Particle Characteristics

Other Data : No data

10. STABILITY AND REACTIVITY

Reactivity : Stable in general. **Chemical Stability** : Stable in general. Possibility of Hazardous Reactions : No data available Condition to Avoid : No data available **Incompatible Materials** : No Data

Hazardous Decomposition Products : Carbon monoxide, Nitrogen compound

11. TOXICOLOGICAL INFORMATION

Acute Toxicity (oral) : (Data on product) No data (Data on ingredient) Ethanol: LD50,6

.2 - 17.8 g/kg

: No data Acute Toxicity (dermal) Acute Toxicity (Inhalation: gases) : No data

Acute Toxicity (Inhalation: vapors) : (Data on product)No data(Data on ingredient)Ethanol: Rat,LC

50,20000ppm/10H

Acute Toxicity (Inhalation: dust, mists) : No data

Skin Corrosion / Irritation ∶ (Data on product)No data(Data on ingredient)Ethanol∶ The ex

amination that obeyed OECD TG404 and American guidelines,

Non irritant

: (Data on product) No data available (Data on ingredient) Ethano Serious Eye Damage / Irritation

1: The examination that obeyed OECD TG404 and Draizetest,

moderate

Respiratory or Skin Sensitization : No data

Mutagenicity (germ cell mutagenicity) : (Data on product)No data(Data on ingredient)Ethanol: Domin

ant lethal report in a rat and a mouse, Aneuploidy induction in

the mouse generative cell

Carcinogenicity

IARC : Not applicable NTP : Not available

Reproductive Toxicity : (Data on product)No data(Data on ingredient)Ethanol: Severe

ly irritating

Specific Target Organ Systemic Toxicity : (Data on product)No data(Data on ingredient)Ethanol : Hum (Single Exposure)

man ,5000ppm(9.4mg/L),Respiratory tract irritation

Specific Target Organ Systemic Toxicity : (Data on product)No data available(Data on ingredient)Ethano

l: Severely irritating

Aspiration Hazard : No data

12. ECOLOGICAL INFORMATION

(Repeated Exposure)

Ecotoxicity : (Data on product)No data(Data on ingredient)Ethanol: 48 hou rs of Crustacea(Daphnia magna)LC50=5463.9mg/L

Format: 20240701 NIKKOL CA-2580 5/6 2024/06/26



1-4-8 Nihonbashi-Bakurocho, Chuoku, Tokyo 103-0002 JAPAN

https://www.nikkol.co.jp/en

Persistence / Degradability : (Data on product)No data(Data on ingredient)Ethanol : No po

or water solubility, Acute toxicity is low

Bioaccumulative Potential : No data
Mobility in Soil : No data
Hazardous to The Ozone Layer : No data

13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

14. TRANSPORT INFORMATION

UN Class / UN Number:

International Regulations : Please follow applicable IATA regulations for air transport and

IMDG regulations for sea transport.

IATA: UN Number : UN2921

Proper Shipping Name : CORROSIVE SOLID FLAMMABLE N.O.S

Class : Class 8
Packing Group : II
IMDG: UN Number : UN2921

Proper Shipping Name : CORROSIVE SOLID FLAMMABLE N.O.S

Class S
Packing Group : II
Additional Information :

Special Precautions for User : Review "Section 7: "Handling and Storage".

Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

15. REGULATORY INFORMATION

Inventories:

ENCS(Japan) : 2-184,2-202

16. OTHER INFORMATION

Reference : International Chemical Safety Cards(ICSC)Compiler's Guide

CERI·NITE hazard assessment report 2006

Special notes: Please be careful when melting by heating.

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently available to us, but the values, such as contents of ingredients, physical and chemical properties, are not necessarily identical to those in the specification. In addition, the precautions are intended for the cases where this product is handled and used under normal conditions. Thus, in cases of special uses or handling, users should use and handle it, taking appropriate safety measures in accordance with the intended uses and how to use the product.

Format: 20240701 NIKKOL CA-2580 6/6 2024/06/26