

Date of Creation / last update : January 09, 2025

Code: S001978

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	: NIKKOL CA-3475V
Company	: NIPPON SURFACTANT INDUSTRIES CO., LTD.
Address	: 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAPAN
Division	: Technical Division
Tel. No.	: 028-661-6121
Fax No.	: 028-663-0426
E-Mail address	: info-sds@nikkolgroup.com
Emergency tel. No.	: NIKKO CHEMICALS CO., LTD.+81-3-3661-1677
Recommended use and restrictions on use	:

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Physical and Chemical Hazards	: CATEGORY 2
Health Hazards	
Acute Toxicity (Oral)	: CATEGORY 5
Acute Toxicity (Dermal)	: CATEGORY 5
Acute Toxicity (Inhalation : gases)	: Not classified
Acute Toxicity (Inhalation : vapors)	: Classification not possible
Acute Toxicity (Inhalation : dust, mists)	: Classification not possible
Skin Corrosion / Irritation	: CATEGORY 2
Serious Eye Damage / Eye Irritation	: CATEGORY 1
Respiratory Sensitization	: Classification not possible
Skin Sensitization	: Classification not possible
Germ Cell Mutagenicity	: Classification not possible
Carcinogenicity	: Classification not possible
Reproductive Toxicity	: CATEGORY 2
Specific Target Organ Systemic Toxicity (Single Exposure)	: CATEGORY 1
Specific Target Organ Systemic Toxicity (Repeated Exposure)	: CATEGORY 2
Aspiration Hazard	: Classification not possible
Environmental Hazards	
Short-term (acute) hazardous to the aquatic environment	: CATEGORY 1
Long-term (chronic) hazardous to the aquatic environment	: CATEGORY 1
Hazardous to The Ozone Layer	: Classification not possible

#### GHS Label Elements

Pictograms or Symbols

:



Signal Word

: Danger

Hazard Statements

- : **【H225】** Highly flammable liquid and vapour
- 【H303】** May be harmful if swallowed
- 【H313】** May be harmful in contact with skin
- 【H315】** Causes skin irritation
- 【H318】** Causes serious eye damage
- 【H361】** Suspected of damaging fertility or the unborn child
- 【H370】** Causes damage to organs
- 【H373】** May cause damage to organs through prolonged or repeated exposure
- 【H400】** Very toxic to aquatic life
- 【H410】** Very toxic to aquatic life with long lasting effects

Precautionary Statements

**【Prevention】**

- : **【P210】** Keep away from heat / sparks / open flames/hot surfaces. -No smoking.
- 【P233】** Keep container tightly closed.
- 【P240】** Ground/bond container and receiving equipment.
- 【P242】** Use only non-sparking tools.
- 【P264】** Wash thoroughly after handling.
- 【P280】** Wear protective gloves / protective clothing / eye protection / face protection.
- 【P201】** Obtain special instructions before use.
- 【P260】** Do not breathe dust / fume / gas / mist / vapours / spray.
- 【P270】** Do not eat, drink or smoke when using this product.
- 【P273】** Avoid release to the environment.

**【Response】**

- : **【P303+P361+P353】** IF ON SKIN(or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- 【P302+P352】** IF ON SKIN: Wash with plenty of soap and water.
- 【P362】** Take off contaminated clothing and wash before reuse.
- 【P332+P313】** If skin irritation occurs: Get medical advice / attention.
- 【P305+P351+P338】** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- 【P310】** Immediately call a doctor / physician.
- 【P308+P313】** IF exposed or concerned: Get medical advice / attention.
- 【P314】** Get medical advice / attention if you feel unwell.

【Storage】	【P391】 Collect spillage. : 【P403+P235】 Store in a well-ventilated place. Keep cool. 【P405】 Store locked up.
【Disposal】	: 【P501】 Dispose of contents/container in accordance with local/regional/national/international regulation(to be specified).
【Safe Handling Advice】	: 【N00-010】 Refer to SDS

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture	: Mixture	
Ingredients and Concentration Range	:	
Ingredient (INCI Name)	concentration(%)	/ CAS RN®
Distearyl Dimethyl Ammonium Chloride (Distearyldimonium Chloride)	75	/ 107-64-2
2-Propanol (Isopropyl Alcohol)	15	/ 67-63-0
Water (Water)	10	/ 7732-18-5

### 4. FIRST-AID MEASURES

In Case of Inhalation	: Take victim to a place of fresh air and keep at rest in a position comfortable for breathing.
In Case of Skin Contact	: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse.
In Case of Eye Contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.
In Case of Ingestion	: Rinse mouth with water, and provide 1-2 cups of water or milk to drink. Get immediate medical advice / attention. In the event that the victim is not conscious, do not feed anything through the mouth.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	: Powder, alcohol-resistant form, carbon dioxide, sand, water spray.
Not Suitable Extinguishing Media	: No data available
Special Hazards	: During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be generated. Avoid inhaling smoke during fire extinguishing.
Special Methods	: Remove all combustible objects away from the fire and use adequate extinguishing media. Preferably extinguish the fire from the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machinery in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses.
Special Protective Action for Fire-Fighters	: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be generated. Avoid inhaling smoke during fire extinguishing.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedure	: Use goggles and protective gloves. In case of large spills, remove person to safety. Ensure adequate ventilation.
Environmental Precautions	: Do not discharge into river or sewer.
Methods and Materials for Contamination and Cleaning Up	: In case of a small spill, absorb with liquid-binding material (sand, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a large spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.
Prevention of Secondary Hazards	: Promptly remove all combustible objects away from the spill and prepare fire extinguishing media. The spills on the floor must be cleaned promptly, otherwise they present a risk of traumatic accident. Avoid walking or stepping on the spills. While cleaning the spill use adequate tools that do not promote sparks of fire.

## 7. HANDLING AND STORAGE

Handling	
Technical Measures	: The shower with water (for washing of eyes and body) must be installed near the handling facility.
Contact Avoidance	: Keep away from source of ignition.
Safe Handling Advice	: Use adequate ventilation. Use goggles and protective gloves. Wash thoroughly after handling.
Storage	
Suitable Storage Conditions	: Store in a well-ventilated place. Keep cool.
Safe Packaging Materials	: No information available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters	
ACGIH	: 2-Propanol :TWA 200ppm (2008)
Engineering Measures	: Exhaust system must be installed in case steam, fume or mists generated at the operation facility. Shower with water (for washing eyes and body) must be installed near the handling facility.
Protective Equipment	
Respiratory Protection	: Not needed in case of standard handling.
Hand Protection	: Impermeable protective gloves.
Eye/Face Protection	: Goggles or protective glasses with side protectors.
Skin and Body Protection	: Workwear with long sleeves.
Special Precautions	: No data available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Solid
Color	: White to light yellow
Odor	: Faint characteristic odor
Melting Point / Congealing point	: No data
Boiling Point or initial boiling point and boiling range	: No data
Flammability	: No data
Lower and Upper explosion limit / Flammability Limits	: Upper Limit : No data, Lower Limit : No data
Flash Point	: 24.8°C
Auto-Ignition Temperature	: No data

Decomposition Temperature	: No data
pH	: 4.5~7.5(1%)(Reference)
Kinematic Viscosity	: No data
Solubility	: Dispersion
Partition Coefficient : n-Octanol / Water	: No data
Vapour Pressure	: No data
Density and/or Relative Density	: No data
Relative Vapour Density	: No data
Particle Characteristics	:
Other Data	: No data

## 10. STABILITY AND REACTIVITY

Reactivity	: Stable in general.
Chemical Stability	: Stable in general.
Possibility of Hazardous Reactions	: No data available
Condition to Avoid	: No data available
Incompatible Materials	: No Data
Hazardous Decomposition Products	: Carbon monoxide, Nitrogen compound

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity (oral)	: (Data on product) No data (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Rat LD50 2260 mg/kg (Male) 2600 mg/kg (Female) 2-Propanol : LD50, 3437 mg/kg
Acute Toxicity (dermal)	: (Data on product) No data (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Rat LD50 > 2000 mg/kg 2-Propanol : LD50, Rabbit, 4059 mg/kg
Acute Toxicity (Inhalation : gases)	: No data
Acute Toxicity (Inhalation : vapors)	: (Data on product) No data (Data on ingredient) 2-Propanol : Rat, LC50 (4 hours) = 72600 mg/m <sup>3</sup>
Acute Toxicity (Inhalation : dust, mists)	: (Data on product) No data (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Rat LC50 > 180 mg/L/1h = 45 mg/L/4h (mists)
Skin Corrosion / Irritation	: (Data on product) No data (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Rabbit Mildly to Moderately irritating 2-Propanol : Rabbit Non irritant
Serious Eye Damage / Irritation	: (Data on product) No data available (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Rabbit Severely irritating 2-Propanol : Rabbit Mildly irritating to Severely irritating
Respiratory or Skin Sensitization	: No data
Mutagenicity (germ cell mutagenicity)	: (Data on product) No data (Data on ingredient) 2-Propanol : Mouse Bone Marrow Cell Micronucleus Test Negative
Carcinogenicity	
IARC	: Not applicable
NTP	: Not available
Reproductive Toxicity	: (Data on product) No data (Data on ingredient) Distearyl Dimethyl Ammonium Chloride : Reproductive toxicity screening test by oral administration in rats (OECD TG 421) in the extension of the number of days required to mate with high-dose group, reduced pregnancy rate (6 / 9 animals), a decrease in the number of maternal labor (5 / 6 mice) was found, reduced body weight gain in male and female parent animals along the same dose, which also expressed general toxicity, such as respiratory distress 2-Propanol : Rat Reproductive Toxicity Positive

Specific Target Organ Systemic Toxicity (Single Exposure)	: (Data on product)No data(Data on ingredient)2-Propanol : Human Toxicity Positive
Specific Target Organ Systemic Toxicity (Repeated Exposure)	: (Data on product)No data available(Data on ingredient)2-Propanol : Rat Toxicity Positive
Aspiration Hazard	: ((Data on product) No data(Data on ingredient)2-Propanol : Rat Toxicity Positive

## 12. ECOLOGICAL INFORMATION

Ecotoxicity	: (Data on product)No data(Data on ingredient)Distearyl Dimethyl Ammonium Chloride : ①48hours Daphnia LC50=0.16 mg/L ②96hours LC50 : 0.290 - 0.558 mg/L(fathead minnow)2-Propanol : 96hours ,LC50,Killifish,>100mg/L
Persistence / Degradability	: No data
Bioaccumulative Potential	: No data
Mobility in Soil	: No data
Hazardous to The Ozone Layer	: No data

## 13. DISPOSAL CONSIDERATIONS

Either incinerate in small quantities in the incinerator or entrust to a specialized waste disposal contractor licensed by the prefectural governor.

## 14. TRANSPORT INFORMATION

International Regulations	: Please follow applicable IATA regulations for air transport and IMDG regulations for sea transport.
UN Class / UN Number :	
IATA : UN Number	: UN1993
Proper Shipping Name	: FLAMMABLE LIQUID, N.O.S
Class	: Class 3
Packing Group	: III
IMDG : UN Number	: UN1993
Proper Shipping Name	: FLAMMABLE LIQUID, N.O.S
Class	: Class 3
Packing Group	: III
Additional Information	:
Special Precautions for User	: Review "Section 7 : "Handling and Storage". Ensure containers without breakage or leakage. Ensure containers tightly fixed. Follow all regulations in your country or region.

## 15. REGULATORY INFORMATION

Inventories :	
ENCS(Japan)	: 2-184,2-207,None

## 16. OTHER INFORMATION

Reference	: International Chemical Safety Cards(ICSC)Compiler's Guide CERI·NITE hazard assessment report 2006 Special notes: Please be careful when melting by heating.
-----------	---

The information described herein is based on the documents, information and data, etc. on this product that are currently available to us, but the values, such as contents of ingredients, physical and chemical properties, are not necessarily identical to those in the specification. In addition, the precautions are intended for the cases where this product is handled and used under normal conditions. Thus, in cases of special uses or handling, users should use and handle it, taking appropriate safety measures in accordance with the intended uses and how to use the product.