



1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

Date of Creation / last update : June 30, 2025

Code: S001969

# **SAFETY DATA SHEET**

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name	<sup>:</sup> NIKKOL CA-2580
Company	: NIPPON SURFACTANT INDUSTRIES CO., LTD.
Address	: 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP AN
Division	: Quality Assurance Division
Tel. No.	: 028-661-6121
Fax No.	: 028-663-0426
E-Mail address	:info-sds@nikkolgroup.com
Emergency tel. No.	: NIKKO CHEMICALS CO., LTD.+81-3-3661-1677
Recommended use and restrictions on use	:

#### 2. HAZARDS IDENTIFICATION

GHS Classification	
Physical and Chemical Hazards Health Hazards	: CATEGORY 2
Acute Toxicity (Oral)	: Classification not possible
Acute Toxicity (Dermal)	: Classification not possible
Acute Toxicity	: Not classified
(Inhalation : gases)	
Acute Toxicity	: Classification not possible
(Inhalation : vapors)	
Acute Toxicity	Classification not possible
(Inhalation : dust, mists)	
Skin Corrosion / Irritation	Classification not possible
Serious Eye Damage / Eye Irritation	: CATEGORY 2A
Respiratory Sensitization	Classification not possible
Skin Sensitization	Classification not possible
Germ Cell Mutagenicity	: CATEGORY 1B
Carcinogenicity	Classification not possible
Reproductive Toxicity	: CATEGORY 1A
Specific Target Organ Systemic	: CATEGORY 3
Toxicity (Single Exposure)	
Specific Target Organ Systemic	CATEGORY 1
Toxicity (Repeated Exposure)	
Aspiration Hazard	Classification not possible
Environmental Hazards	
Short-term (acute) hazardous to	: Classification not possible
the aquatic environment	
Long-term (chronic) hazardous to	: Classification not possible
the aquatic environment	
Hazardous to The Ozone Layer	: Classification not possible
GHS Label Elements	





1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

	$\vee$ $\vee$ $\vee$
Signal Word	: Danger
Hazard Statements	<ul> <li>[H225] Highly flammable liquid and vapour</li> <li>[H319] Causes serious eye irritation</li> <li>[H340] May cause genetic defects</li> <li>[H360] May damage fertility or the unborn child</li> <li>[H335] May cause respiratory irritation</li> <li>[H372] Causes damage to organs through prolonged or repe ated exposure</li> </ul>
Precautionary Statements	
[Prevention]	<ul> <li>[P264] Wash thoroughly after handling.</li> <li>[P270] Do not eat, drink or smoke when using this product.</li> <li>[P280] Wear protective gloves / protective clothing / eye protection / face protection.</li> <li>[P210] Keep away from heat / sparks / open flames/hot surfacesNo smoking.</li> <li>[P202] Do not handle until all safety precautions have been read and understood.</li> <li>[P280] Wear protective gloves / protective clothing / eye protection / face protection.</li> <li>[P261] Avoid breathing dust / fume / gas / mist / vapours / spray.</li> <li>[P271] Use only outdoors or in a well-ventilated area.</li> <li>[P233] Keep container tightly closed.</li> <li>[P242] Use only non-sparking tools.</li> </ul>
[Response]	<ul> <li>[P301+P312] IF SWALLOWED: Call a doctor / physician if you feel unwell.</li> <li>[P302+P352] IF ON SKIN: Wash with plenty of soap and wate r.</li> <li>[P305+P351+P338] IF IN EYES: Rinse cautiously with water fo r several minutes. Remove contact lenses, if present and easy t o do. Continue rinsing.</li> <li>[P337+P313] If eye irritation persists: Get medical advice / at tention.</li> <li>[P308+P313] IF exposed or concerned: Get medical advice / attention.</li> <li>[P304+P340] IF INHALED: Remove victim to fresh air and kee p at rest in a position comfortable for breathing.</li> <li>[P312] Call a doctor / physician if you feel unwell.</li> <li>[P303+P361+P353] IF ON SKIN(or hair): Remove/Take off im mediately all contaminated clothing. Rinse skin with water/sh ower.</li> </ul>
[Storage]	: 【P404】 Store in a closed container.





1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

	【P403+P233】 Store in a well-ventilated place. Keep container tightly closed. 【P405】 Store locked up.
	【P403+P235】 Store in a well-ventilated place. Keep cool.
[Disposal]	: 【P501】 Dispose of contents/container in accordance with loc al/regional/national/international regulation(to be specified).
【Safe Handling Advice】	: [N00-010] Refer to SDS [PN001] Avoid dust formation.

#### **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Substance or Mixture	: Mixture	
Ingredients and Concentration Range	:	
Ingredient (INCI Name)	concentration(%)	/ CAS RN®
Behenyl Trimethyl Ammonium Chloride (Behentrimonium Chloride)	80	/ 17301-53-0
Ethanol	20	/ 64-17-5
(Alcohol)		

#### **4. FIRST-AID MEASURES**

In Case of	<sup>-</sup> Inhalation

In Case of Skin Contact

In Case of Eye Contact

In Case of Ingestion

#### **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media

Not Suitable Extinguishing Media Special Hazards

**Special Methods** 

: Powder, alcohol-resistant form, carbon dioxide, sand, water sp ray.

: Take victim to a place of fresh air and keep at rest in a position

: Rinse cautiously with water for several minutes. Remove conta

: Rinse mouth with water, and provide 1-2 cups of water or milk

In the event that the victim is not conscious, do not feed anythi

Take off contaminated clothing and wash before reuse.

ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.

Get immediate medical advice / attention.

: No data available

ng through the mouth.

to drink.

comfortable for breathing.

: Wash with plenty of soap and water.

- : During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire exti nguishing.
- : Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire fro m the same direction of the wind. Evacuate personnel not invo lved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Wate r used to extinguish a fire should not be allowed to enter the dr ainage system or water courses.
- Spetial Protective Action for Fire-Fighters: Use goggles in combination with dust mask. During a fire, toxic<br/>gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene<br/>rated. Avoid inhaling smoke during fire extinguishing.

## 6. ACCIDENTAL RELEASE MEASURES





1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and Cleaning Up

- : Use goggles and protective gloves. In case of large spills, remo ve person to safety. Ensure adequate ventilation.
- : Do not discharge into river or sewer.
- : In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.
- : Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks of fire.

Prevention of Secondary Hazards

#### 7. HANDLING AND STORAGE

#### Handling

**Technical Measures** 

Contact Avoidance Safe Handling Advice

**Protective Equipment** 

#### Storage

Suitable Storage Conditions Safe Packaging Materials

- : The shower with water (for washing of eyes and body) must be installed near the handling facility.
- : Keep away from source of ignition.
- : Use adequate ventilation. Use goggles and protective gloves. Wash thoroughly after handling.
- : Store in a well-ventilated place. Keep cool.
- : No information available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Control parametersACGIH: Ethanol :TWA 1000ppm (2002)Engineering Measures: Exhaust system must be installed in case steam, fume or mist i<br/>s generated at the operation facility. Shower with water (for w

s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci lity.

Respiratory Protection	: Not needed in case of standard handling.
Hand Protection	: Impermeable protective gloves.
Eye/Face Protection	: Goggles or protective glasses with side protectors.
Skin and Body Protection	: Workwear with long sleeves.
Spetial Precautions	: No data available

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Solid
Color	: White to light yellow
Odor	: Faint characteristic odor
Melting Point / Congealing point	: No data
Boiling Point or initial boiling point and	:No data
boiling range	
Flammability	: No data
Lower and Upper explosion limit /	:Upper Limit : No data,Lower Limit : No data
Flammability Limits	
Flash Point	:9.5℃
Auto-Ignition Temperature	: No data





1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

Decomposition Temperature	: No data
рН	: No data
Kinematic Viscosity	:No data
Solubility	: Insoluble
Partition Coefficient : n-Octanol / Water	: No data
Vapour Pressure	: No data
Decsity and/or Relative Dencity	:No data
Relative Vapour Dencity	:No data
Particle Characteristics	:
Other Data	: No data

#### **10. STABILITY AND REACTIVITY**

Reactivity	:Stable in general.
Chemical Stability	:Stable in general.
Possibility of Hazardous Reactions	:No data available
Condition to Avoid	:No data available
Incompatible Materials	:No Data
Hazardous Decomposition Products	Carbon monoxide,Nitrogen compound

#### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity (oral)

Acute Toxicity (dermal) Acute Toxicity (Inhalation : gases) Acute Toxicity (Inhalation : vapors)

Acute Toxicity (Inhalation : dust, mists) Skin Corrosion / Irritation

Serious Eye Damage / Irritation

Respiratory or Skin Sensitization Mutagenicity (germ cell mutagenicity)

Carcinogenicity

IARC NTP

Reproductive Toxicity

Specific Target Organ Systemic Toxicity (Single Exposure) Specific Target Organ Systemic Toxicity (Repeated Exposure) Aspiration Hazard

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity

- : (Data on product)No data(Data on ingredient)Ethanol : LD50,6 .2 - 17.8 g/kg
- : No data
- : No data
- : (Data on product)No data(Data on ingredient)Ethanol : Rat,LC 50,20000ppm/10H
- : No data
- : (Data on product)No data(Data on ingredient)Ethanol : The ex amination that obeyed OECD TG404 and American guidelines, Non irritant
- : (Data on product)No data available(Data on ingredient)Ethano l: The examination that obeyed OECD TG404 and Draizetest, moderate
- : No data
- : (Data on product)No data(Data on ingredient)Ethanol : Domin ant lethal report in a rat and a mouse,Aneuploidy induction in the mouse generative cell
- : Not applicable
- : Not available
- : (Data on product)No data(Data on ingredient)Ethanol : Severe ly irritating
- : (Data on product)No data(Data on ingredient)Ethanol : Hum man ,5000ppm(9.4mg/L),Respiratory tract irritation
- : (Data on product)No data available(Data on ingredient)Ethano l: Severely irritating
- : No data
- : (Data on product)No data(Data on ingredient)Ethanol : 48 hou rs of Crustacea(Daphnia magna)LC50=5463.9mg/L





1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002

http://www.ns-utsunomiya.com/en

Persistence / Degradability

Bioaccumulative Potential Mobility in Soil Hazardous to The Ozone Layer

## **13. DISPOSAL CINSIDERATIONS**

#### :No data :No data

or water solubility, Acute toxicity is low

: No data

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

: (Data on product)No data(Data on ingredient)Ethanol : No po

#### **14. TRANSPORT INFORMATION**

International Regulations

UN Class / UN Number : IATA:UN Number Proper Shipping Name Class Packing Group IMDG:UN Number Proper Shipping Name Class Packing Group Additional Information Special Precautions for User

- : Please follow applicable IATA regulations for air transport and IMDG regulations for sea transport.
- : UN2921
  : CORROSIVE SOLID FLAMMABLE N.O.S
  : Class 8
  : II
  : UN2921
  : CORROSIVE SOLID FLAMMABLE N.O.S
  : Class 8
  : II
  : Review "Section 7 : "Handling and Storage". Ensure containers without breakage or leakage. Ensure containers tightly fixed. Follow all regulations in your country or region.

## **15. REGULATORY INFORMATION**

Inventories : ENCS(Japan)

: 2-184,2-202

## **16. OTHER INFORMATION**

Reference

: International Chemical Safety Cards(ICSC)Compiler's Guide CERI·NITE hazard assessment report 2006

Special notes: Please be careful when melting by heating.

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently av ailable to us, but the values, such as contents of ingredients, p hysical and chemical properties, are not necessarily identical t o those in the specification. In addition, the precautions are int ended for the cases where this product is handled and used un der normal conditions. Thus, in cases of special uses or handli ng, users should use and handle it, taking appropriate safety m easures in accordance with the intended uses and how to use t he product.