

Date of Creation / last update: June 30, 2025

http://www.ns-utsunomiya.com/en

Code: S014667

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : NIKKOL OTP-75

Company : NIPPON SURFACTANT INDUSTRIES CO., LTD.

Address : 7-14 Hiraide Kogyo Danchi Utsunomiya, Tochigi 321-0905, JAP

AN

Division : Quality Assurance Division

Tel. No.: 028-661-6121Fax No.: 028-663-0426

E-Mail address : info-sds@nikkolgroup.com

Emergency tel. No. : NIKKO CHEMICALS CO., LTD.+81-3-3661-1677

Recommended use and restrictions on use

2. HAZARDS IDENTIFICATION

GHS Classification

Physical and Chemical Hazards : FLAMMABLE LIQUIDS

Health Hazards

Acute Toxicity (Oral) : Not classified
Acute Toxicity (Dermal) : Not classified

Acute Toxicity : Classification not possible

(Inhalation: gases)

Acute Toxicity : Classification not possible

(Inhalation : vapors)

Acute Toxicity : Classification not possible

(Inhalation: dust, mists)

Skin Corrosion / Irritation : CATEGORY 2
Serious Eye Damage / Eye Irritation : CATEGORY 2A

Respiratory Sensitization : Classification not possible Skin Sensitization : Classification not possible Germ Cell Mutagenicity : Classification not possible Carcinogenicity : Classification not possible

Reproductive Toxicity : CATEGORY 1A

Specific Target Organ Systemic : Classification not possible

Toxicity (Single Exposure)

Specific Target Organ Systemic : Classification not possible

Toxicity (Repeated Exposure)

Aspiration Hazard : Classification not possible

Environmental Hazards

Short-term (acute) hazardous to : CATEGORY 3

the aquatic environment

Long-term (chronic) hazardous to : Classification not possible

the aquatic environment

Hazardous to The Ozone Layer : Not classified

GHS Label Elements

1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002 http://www.ns-utsunomiya.com/en

Pictograms or Symbols

Signal Word : Danger

Hazard Statements : [H226] Flammable liquid and vapour

[H360] May damage fertility or the unborn child

【H319】 Causes serious eye irritation

[H315] Causes skin irritation[H402] Harmful to aquatic life

Precautionary Statements

[Prevention] : [P210] Keep away from heat / sparks / open flames/hot surfa

ces. -No smoking.

[P233] Keep container tightly closed.

[P240] Ground/bond container and receiving equipment.

【P241】Use explosion-proof electrical / ventilating / lighting

equipment.

[P242] Use only non-sparking tools.

【P243】 Take precautionary measures against static discharg

e.

[P280] Wear protective gloves / protective clothing / eye pro

tection / face protection.

[P201] Obtain special instructions before use.

[P202] Do not handle until all safety precautions have been r

ead and understood.

[P281] Use personal protective equipment as required.

[P264] Wash thoroughly after handling.

[P273] Avoid release to the environment.

[Response] : [P303+P361+P353] IF ON SKIN(or hair): Remove/Take off im

mediately all contaminated clothing. Rinse skin with water/sh

ower.

[P308+P313] IF exposed or concerned: Get medical advice /

attention.

[P362] Take off contaminated clothing and wash before reus

e.

【P332+P313】If skin irritation occurs: Get medical advice / att

ention

[Storage] : [P403+P235] Store in a well-ventilated place. Keep cool.

【P405】Store locked up.

[Disposal] : [P501] Dispose of contents/container in accordance with loc

al/regional/national/international regulation(to be specified).

【Safe Handling Advice】 : 【N00-010】Refer to SDS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture : Mixture

Ingredients and Concentration Range



http://www.ns-utsunomiya.com/en

| Ingredient (INCI Name) | concentration(%) | / CAS RN® |
|---|------------------|-------------|
| Sodium Di(2-Ethylhexyl)Sulfosuccunate Solutio | 73-75 | / 577-11-7 |
| n | | |
| (Diethylhexyl Sodium Sulfosuccinate) | | |
| Water | 18-21 | / 7732-18-5 |
| (Water) | | |
| Ethanol | 6.0-7.0 | / 64-17-5 |
| (Alcohol) | | |

4. FIRST-AID MEASURES

In Case of Inhalation

In Case of Skin Contact

In Case of Eye Contact

In Case of Ingestion

- : Take victim to a place of fresh air and keep at rest in a position comfortable for breathing.
- : Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

: Rinse cautiously with water for several minutes. Remove conta ct lenses, if present and easy to do. Continue rinsing. Get medical advice / attention if eye irritation persists.

Rinse mouth with water, and provide 1-2 cups of water or milk

to drink.

Get immediate medical advice / attention.

In the event that the victim is not conscious, do not feed anything through the mouth.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not Suitable Extinguishing Media

Special Hazards

Special Methods

Spetial Protective Action for Fire-Fighters

- : Powder, alcohol-resistant form, carbon dioxide, sand, water sp ray.
- : No data available
- During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxid e etc) may be generated. Avoid inhaling smoke during fire extinguishing.
- : Remove all combustible objects away from the fire and use ad equate extinguishing media. Preferably extinguish the fire from the same direction of the wind. Evacuate personnel not involved in fire extinguishing to safe area. Equipment and machine ry in proximity of fire must be sprayed with water to cool. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses.

: Use goggles in combination with dust mask. During a fire, toxic gases (e.g., carbon monoxide, nitrogen oxide etc) may be gene rated. Avoid inhaling smoke during fire extinguishing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedure Environmental Precautions Methods and Materials for Contaminment and Cleaning Up

- : Use goggles and protective gloves. In case of large spills, remo ve person to safety. Ensure adequate ventilation.
- : Do not discharge into river or sewer.
- : In case of a small spill, absorb with liquid-binding material (sa nd, soil, cloth) and wipe away the remains with cloth or fabric. Flush surroundings with large amounts of water. In case of a la rge spill, surround it with the mound of sand or soil to prevent elution and collect into drums or other containers.



1-4-8 Nihonbashi Bakurocho, Chuo-ku, Tokyo 103-0002 http://www.ns-utsunomiya.com/en

Prevention of Secondary Hazards

: Promptly remove all combustible objects away from the spill a nd prepare fire extinguishing media. The spills on the floor mu st be cleaned promptly, otherwise they present a risk of traum atic accident. Avoid walking or stepping on the spills. While cle aning the spill use adequate tools that do not promote sparks of fire.

7. HANDLING AND STORAGE

Handling

Technical Measures : The shower with water (for washing of eyes and body) must be

installed near the handling facility.

Contact Avoidance : Keep away from source of ignition.

Safe Handling Advice : Use adequate ventilation. Use goggles and protective gloves.

Wash thoroughly after handling.

Storage

Suitable Storage Conditions : Store in a well-ventilated place. Keep cool.

Safe Packaging Materials : No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

ACGIH

Engineering Measures : Exhaust system must be installed in case steam, fume or mist i

s generated at the operation facility. Shower with water (for w ashing eyes and body) must be installed near the handling faci

lity

Protective Equipment

Respiratory Protection : Not needed in case of standard handling.

Hand Protection : Impermeable protective gloves.

Eye/Face Protection : Goggles or protective glasses with side protectors.

Skin and Body Protection : Workwear with long sleeves.

Spetial Precautions : No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid

Color : Colorless and transparent
Odor : Faint characteristic odor

Melting Point / Congealing point : No data

Boiling Point or initial boiling point and : 78°C(Ethanol/Water)

boiling range

Flammability : No data

Lower and Upper explosion limit / : Upper Limit : 19vol%, Lower Limit : 3.3vol% (EthaNol)

Flammability Limits

Flash Point : 29°C(Pensky-Martens closed method)

 $\begin{array}{lll} \mbox{Auto-Ignition Temperature} & : \mbox{ No data} \\ \mbox{Decomposition Temperature} & : \mbox{ No data} \\ \mbox{pH} & : 5 \mbox{2} (1\% \mbox{ aq.sol.}) \\ \mbox{Kinematic Viscosity} & : \mbox{ No data} \\ \end{array}$

Solubility : 15 g/100mL(Water : 25°C)

Partition Coefficient: n-Octanol / Water : No data
Vapour Pressure : No data
Decsity and/or Relative Dencity : 1.09
Relative Vapour Dencity : No data



http://www.ns-utsunomiya.com/en

Particle Characteristics :

Other Data : No data

10. STABILITY AND REACTIVITY

Reactivity : Stable in general.
Chemical Stability : Stable in general.
Possibility of Hazardous Reactions : No data available
Condition to Avoid : No data available

Incompatible Materials : No Data

Hazardous Decomposition Products : Carbon monoxide, Carbon dioxide, Sulfur oxide

11. TOXICOLOGICAL INFORMATION

Acute Toxicity (oral) : LD50> 5.0g/kg(Rat)
Acute Toxicity (dermal) : LD50>10.0g/kg(Rabbit)

Acute Toxicity (Inhalation : gases) : No data
Acute Toxicity (Inhalation : vapors) : No data
Acute Toxicity (Inhalation : dust, mists) : No data

Skin Corrosion / Irritation : Skin Corrosion : No symptoms of irritation and allergen reacti

on. (Improved Draize- Shelanski patch te st method.) : Low-sensitivity. (Human,1%,patch test)Sk in irritation : Slight irritation. (Rabbit,solid,8 - 10g,24hrs patched on skin)Primary irritation : Moderate irritation. (Rabbit,10

0% and 20% propylene glycol sol.)

Serious Eye Damage / Irritation : Moderate irritation (Rabbit,solid)Slight irritation (Rabbit,0.1 -

0.5% concentration)

Respiratory or Skin Sensitization : No skin sensitization

Mutagenicity (germ cell mutagenicity) : No data

Carcinogenicity

IARC : Not applicable NTP : Not applicable

Reproductive Toxicity : Many cases of malformation and harmful effects on fetus are r

eported by habitual large quantity intakes of alcohol.

Specific Target Organ Systemic Toxicity : Many cases of malformation and harmful effects on fetus are r

eported by habitual large quantity intakes of alcohol.

Specific Target Organ Systemic Toxicity : No data

(Repeated Exposure)

(Single Exposure)

Aspiration Hazard : No data

12. ECOLOGICAL INFORMATION

Ecotoxicity : Fish: LC50=54.5mg/L(OECD203,96hr,Bluegill) : LC50=35.4

mg/L(OECD203,96hr,Oncorhynchus mykiss)

Persistence / Degradability :

Bioaccumulative Potential : No data
Mobility in Soil : No data
Hazardous to The Ozone Layer : No data

13. DISPOSAL CINSIDERATIONS

Either incinerate in small quantities in the incinerator or entru st to a specialized waste disposal contractor licensed by the pr efectural governor.

Format: 20240701 NIKKOL OTP-75 5/6 2025/06/27





http://www.ns-utsunomiya.com/en

14. TRANSPORT INFORMATION

International Regulations

UN Class / UN Number :

Proper Shipping Name

Class

IATA: UN Number

Packing Group IMDG: UN Number

Proper Shipping Name

Class

Packing Group
Additional Information

Special Precautions for User

: Please follow applicable IATA regulations for air transport and IMDG regulations for sea transport.

: UN1993

: Flammable liquids、n.o.s.

: Class 3 : III

: UN1993

: Flammable liquids、n.o.s.

: Class 3

Review "Section 7: "Handling and Storage".

Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

15. REGULATORY INFORMATION

Inventories:

ENCS(Japan) : 2-1623,2-202

16. OTHER INFORMATION

Reference : DFGOT(1996)

The information described herein is based on the documents, i nformation and data, etc. on this product that are currently available to us, but the values, such as contents of ingredients, physical and chemical properties, are not necessarily identical to those in the specification. In addition, the precautions are intended for the cases where this product is handled and used under normal conditions. Thus, in cases of special uses or handling, users should use and handle it, taking appropriate safety measures in accordance with the intended uses and how to use the product.